

INCLUDES

- Cap

UNIQUE FEATURES

- All-plastic design
- More than 1 turn of thread engagement
- Largest cap offered
- Multiple vent options
- Variety of graphics available

REASONS TO CHOOSE

- Proven performance
- Long-lasting durability
- Economical
- Wide diameter for easy fill
- Common thread size



FOR MORE INFORMATION, CALL A KELCH REPRESENTATIVE TODAY AT **877.944.5699**

KELCH.COM



COMPOSITION

- Engineered thermoplastics
- All-plastic cap designed for use in corrosive environments

VENTING OPTIONS

- No vent
- Top vent (0.062 dia. hole)
- Covered vent, chimney style
- Covered vent with one-way valve (venting into tank)

THREAD SIZE

- 3 1/2" modified buttress thread with 5 threads per inch
- Modified buttress thread allows for expansion and contraction of filler neck


FILLER NECK SPECIFICATION

INJECTION MOLDING / BLOW MOLDING

Kelch print 4066

ROTATIONAL MOLDING

Kelch print 6320




PAD PRINTING OPTIONS FOR CAPS

- Standard and custom pad printing available



5211



5403



5208

LANYARD OPTION

- Internal lanyard: stainless steel beaded chain

GASKET OPTIONS

- Nitrile
- FKM

MATERIAL OPTIONS

- Nylon 6
- Flame Retardant Material

Revised 06/18

Disclaimer: At Kelch, we make quality products. We do not know how you will use our product. You, the customer, are in the best position to know the uses and conditions to which our products will be subjected.

You are responsible for identifying and performing tests necessary to assure that our product is safe and suitable for the application you have chosen. You are in the best position to know how our product will perform in your application, we ask that you hold us harmless from any claims that result from our product being used in an unsafe or unsuitable way.

FOR MORE INFORMATION, CALL A KELCH REPRESENTATIVE TODAY AT **877.944.5699**

KELCH.COM